


Specification Sheet

In Your Room

/ Site V.1-V.10



In Your Room



PRODUCT DESCRIPTION

In Your Room - Redefining Workspace Adaptability!

In Your Room is designed to be your ideal workspace companion. Its modular construction allows you to effortlessly tailor your environment to your exact specifications. Whether you need a personal office, a collaborative meeting space, or a serene relaxation area, In Your Room adapts with ease. With its combination of a versatile framework and precision-engineered acoustic and glass modules, In Your Room can be reconfigured or reshaped to your heart's content, offering the ultimate in flexibility, sustainability, cost-effectiveness, and time efficiency.

FEATURES

A modular room-in-room workspace framework that creates partitioning and semi open spaces, allowing you to effortlessly tailor your environment to your needs.

A range of predefined configurations for a plug and play solution accommodating versatile work functions.

A sustainable solution for workspace transformations which is Designed for Disassembly, prolonging its lifetime, reducing waste and minimising environmental impact.

A cost-effective alternative to more traditional construction projects that are often costly, time-consuming and disruptive.

A quick and easy installation method for a functional workspace within hours, not days or weeks.


In Your Room

CONFIGURATIONS

The In Your Room system consist of a framework that can be assembled with simple tooling. It comes in pre-assembled acoustic modules, glass modules, open modules and posts and bars that all can be connected to create a larger predefined or bespoke configuration.

Acoustic Modules


C shaped acoustic modules



- 1. IYR_ACM_5002200
Size: 500 x 2200 mm
- 2. IYR_ACM_10002200
Size: 1000 x 2200 mm
- 3. IYR_ACM_15002200
Size: 1500 x 2200 mm
- 3. IYR_ACM_15002200
Size: 2000 x 2200 mm

Glass Modules

C shaped glass modules




- 1. IYR_GCM_5002200
Size: 500 x 2200 mm
- 2. IYR_GCM_10002200
Size: 1000 x 2200 mm

In Your Room

Open Modules


C shaped open modules



- 1. IYR_OCM_5002200
Size: 500 x 2200 mm
- 2. IYR_OCM_10002200
Size: 1000 x 2200 mm
- 3. IYR_OCM_15002200
Size: 1500 x 2200 mm
- 4. IYR_OCM_20002200
Size: 2000 x 2200 mm

Posts and Bars

End posts and door bar connectors




- 1. IYR_DB_450
Size: 450 x 50 mm
- 2. IYR_DB_950
Size: 950 x 50 mm
- 3. IYR_DB_1450
Size: 1450 x 50 mm
- 4. IYR_DB_1950
Size: 1950 x 50 mm
- 5. IYR_DB_2450
Size: 2450 x 50 mm
- 6. IYR_DB_2950
Size: 2950 x 50 mm
- 7. IYR_DB_3450
Size: 3450 x 50 mm
- 8. IYR_DB_3950
Size: 3950 x 50 mm
- 9. IYR_DB_4450
Size: 4450 x 50 mm


In Your Room

COLOURS


In Your Room features 8 distinct colours: Blue, Earth, Green, Yellow, Red, Purple, Olive, Neutral.
Each colour is available in 3 variations – Muted, Accent and Base.




Muted Red




Muted Earth




Muted Yellow




Muted Olive




Accent Red




Accent Earth




Accent Yellow




Accent Olive




Base Red




Base Earth




Base Yellow




Base Olive




Muted Blue




Muted Green




Muted Purple




Black




Accent Blue




Accent Green




Accent Purple




White




Base Blue



Base Green



Base Purple




Grey

In Your Room

ACOUSTIC FUNCTIONALITY

The acoustic c shaped modules are ingeniously crafted with a sandwich construction, seamlessly integrating a central 10 mm reboard sound-blocking plate flanked by two outer layers of 20 mm sound absorbers. This construction not only ensures robust soundproofing but also maximizes the absorption of unwanted noise. The 10 mm reboard sound-blocking plate serves as a barrier, impeding the passage of sound waves, while the dual 20 mm sound absorbers on either side function synergistically to effectively absorb sound.



COMPONENTS

IYR frame:	Fine structured powder coated aluminium made from 75% upcycled aluminium scrap.
Acoustic panel:	Fine structured powder coated aluminium made from 75% upcycled aluminium scrap. 10 mm reboard sound-blocking plate. 2 x 20 mm PET sound absorbers made from 50% virgin fibres from recycled plastic bottles. 2 x changeable canvases made from 100% recycled polyester fibres.
Glass:	6 mm hardened glass inserted into IYR frame profile with plastic glass list
Bolt caps:	Plastic
Central fasteners:	Steel

CERTIFICATES

Frames:	Powder coating in compliance with REACH Regulation (EC) No 1907/2006 and CLP Regulation (EC) No 1272/2008.
Sound absorber:	EPD in accordance with ISO 14025 and EN 15804. In compliance with the REACH regulation EC 1907/2006. Reaction to fire classification B-s1,d0. Emission class M1. In compliance with Oeko-Tex Standard 100.
Canvas:	In compliance with Oeko-Tex Standard 100. Reaction to fire classification B-s1,d0. The ink fulfils the requirements for Oeko Tex Standard 100 and is in compliance with REACH regulations.

PRODUCT CARE

Cleaning:	In Your Room is easy to clean. It can withstand daily dusting, vacuuming and wiping with a damp cloth with the use of universal cleaning products.
Washable:	The canvas tolerates machine wash repeatedly.

Specification Sheet / Site V1

In Your Room


In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 3550 x l: 3050 x h: 2200 mm
Interior: w: 3450 x l: 2950 x h: 2200 mm
Opening: w: 3450 x h: 2150 mm
Opening: w: 2450 x h: 2150 mm



CONFIGURATION

IYR_site_V1


- 4 x IYR_ACM_15002200
- 2 x IYR_GCM_5002200
- 1 x IYR_DB_2450
- 1 x IYR_DB_3450
- 2 x IYR_EP_2200



IYR_site_V1

Specification Sheet / Site V2

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 3550 x l: 4550 x h: 2200 mm
Interior: w: 3450 x l: 4450 x h: 2200 mm
Opening: w: 3450 x h: 2150 mm
Opening: w: 2450 x h: 2150 mm



CONFIGURATION

IYR_site_V2


- 6 x IYR_ACM_15002200
- 2 x IYR_GCM_5002200
- 1 x IYR_DB_2450
- 1 x IYR_DB_3450
- 2 x IYR_EP_2200



IYR_site_V2

Specification Sheet / Site V3

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 4550 x l: 3050 x h: 2200 mm
Interior: w: 4450 x l: 2950 x h: 2200 mm
Opening: w: 4450 x h: 2150 mm
Opening: w: 3450 x h: 2150 mm



CONFIGURATION

IYR_site_V3


- 2 x IYR_ACM_15002200
- 1 x IYR_ACM_20002200
- 2 x IYR_GCM_5002200
- 1 x IYR_GCM_10002200
- 1 x IYR_DB_4450
- 1 x IYR_DB_3450
- 2 x IYR_EP_2200



IYR_site_V3

Specification Sheet / Site V4

In Your Room



In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 4550 x l: 3050 x h: 2200 mm
Interior: w: 4450 x l: 2950 x h: 2200 mm
Opening: w: 4450 x h: 2150 mm
Opening: w: 3450 x h: 2150 mm



CONFIGURATION

IYR_site_V4


- 3 x IYR_ACM_15002200
- 2 x IYR_GCM_5002200
- 1 x IYR_OCM_15002000
- 1 x IYR_DB_4450
- 1 x IYR_DB_3450
- 2 x IYR_EP2200



IYR_site_V4

Specification Sheet / Site V5

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 4550 x l: 3550 x h: 2200 mm
Interior: w: 4450 x l: 3450 x h: 2200 mm
Opening: w: 4450 x h: 2150 mm
Opening: w: 3450 x h: 2150 mm



CONFIGURATION

IYR_site_V5


- 1 x IYR_ACM_15002200
- 2 x IYR_ACM_20002200
- 3 x IYR_GCM_5002200
- 1 x IYR_GCM_10002200
- 1 x IYR_DB_4450
- 1 x IYR_DB_3450
- 2 x IYR_EP2200



IYR_site_V5

Specification Sheet / Site V6

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS


Exterior: w: 4550 x l: 4550 x h: 2200 mm
Interior: w: 4450 x l: 450 x h: 2200 mm
Opening: w: 4450 x h: 2150 mm
Opening: w: 3450 x h: 2150 mm



CONFIGURATION

IYR_site_V6


- 3 x IYR_ACM_20002200
- 4 x IYR_GCM_5002200
- 2 x IYR_GCM_10002200
- 1 x IYR_DB_4450
- 1 x IYR_DB_3450
- 2 x IYR_EP2200



IYR_site_V6

Specification Sheet / Site V7

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS

Exterior: w: 3050 x l: 9050 x h: 2200 mm
Interior: w: 2950 x l: 8950 x h: 2200 mm
Openings: w: 4450 x h: 2150 mm
Openings: w: 3450 x h: 2150 mm




In Your Room

CONFIGURATION

IYR_site_V7


- 4 x IYR_ACM_15002200
- 1 x IYR_ACM_20002200
- 4 x IYR_GCM_5002200
- 1 x IYR_GCM_10002200
- 2 x IYR_DB_4450
- 2 x IYR_DB_3450
- 3 x IYR_EP_2200



IYR_site_V7

Specification Sheet / Site V8

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS

Exterior: w: 3050 x l: 9050 x h: 2200 mm
Interior: w: 2950 x l: 8950 x h: 2200 mm
Openings: w: 4450 x h: 2150 mm
Openings: w: 3450 x h: 2150 mm




In Your Room

CONFIGURATION

IYR_site_V8


- 4 x IYR_ACM_15002200
- 4 x IYR_GCM_5002200
- 4 x IYR_OCM_15002200
- 2 x IYR_DB_4450
- 2 x IYR_DB_3450
- 3 x IYR_EP_2200



IYR_site_V8

Specification Sheet / Site V9

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS

Exterior: w: 3550 x l: 9050 x h: 2200 mm
Interior: w: 3450 x l: 8950 x h: 2200 mm
Openings: w: 4450 x h: 2150 mm
Openings: w: 3450 x h: 2150 mm




In Your Room

CONFIGURATION

IYR_site_V9


- 1 x IYR_ACM_15002200
- 3 x IYR_ACM_20002200
- 6 x IYR_GCM_5002200
- 2 x IYR_GCM_10002200
- 2 x IYR_DB_4450
- 2 x IYR_DB_3450
- 3 x IYR_EP_2200



IYR_site_V9

Specification Sheet / Site V10

In Your Room




In Your Room

FUNCTION

Workspace / Meeting room / Lounge / Auxillary room

DIMENSIONS

Exterior: w: 4550 x l: 9050 x h: 2200 mm
Interior: w: 4450 x l: 8950 x h: 2200 mm
Openings: w: 4450 x h: 2150 mm
Openings: w: 3450 x h: 2150 mm




In Your Room

CONFIGURATION

IYR_site_V10

- 5 x IYR_ACM_20002200
- 7 x IYR_GCM_5002200
- 2 x IYR_GCM_10002200
- 2 x IYR_DB_4450
- 2 x IYR_DB_3450
- 3 x IYR_EP_2200



IYR_site_V10